


MDR APUS 1




Technical data:

Code	WOJP00229
Power	40 W
Nominal current	0.165217 mA
Voltage	230 V
Energy efficiency class	LED
Energy consumption	40 kWh/1000h
Frequency	50HZ
Protection class	I
Power supply included	Yes
Manufacturer of power supply	TRIDONIC
Power factor	0.93
Luminous flux	4000 lm
Lamp efficacy	100 lm/W
Colour temperature	3000 K
Colour of light	WW
Beam angle	15°
RA	>80
Light source included	Yes
Producer of LED diodes	CREE
Uniformity of color SDCM max	3
Dimmable	OPC
Working temperature range	-20 DO +40 °C
Lifespan	50000 h
Material composition	Aluminum, plastic
Housing material	Aluminum
Degree of protection (IP)	IP20
Colour	Black
Dimension (AxBxC)	0110x135x206 mm
For use	WEW
Assembly	NA SZYNE 3 FAZOWA/OBWODOWA
Application	WEW
Made in	PL



EEL table LED :

MDR APUS 1



This luminaire contains built-in LED lamps.

The lamps cannot be changed in the luminaire.

A++
A+
A
B
C
D
E

LED

spectrum LED SLI001001 – SLI100001

874/2012

The energy label shows a vertical scale of energy efficiency classes from A++ (top, green) to E (bottom, red). The classes A, B, C, D, and E are crossed out with a red 'X'. A blue bracket on the right side of the scale groups the A++ and A+ classes under the label 'LED'. The European Union flag is located in the top right corner of the label frame.